




4-point – normal

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-16-VK	250070	16	52	40.0	40	22	
K3/4-17-VK	250071	17	52	40.0	40	22	
K3/4-19-VK	250072	19	52	40.0	40	22	
K3/4-20-VK	250073	20	52	42.0	42	22	
K3/4-21-VK	250074	21	52	42.0	42	22	
K3/4-22-VK	250075	22	52	44	44	24	
K3/4-24-VK	250076	24	52	47.0	42	24	



6-point – normal

Model	Item No.	A/F #	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-13	250010	13	50	25.0	44	9	–
K3/4-14	250011	14	50	25.0	44	11	–
K3/4-15	250012	15	50	26.0	44	11	–
K3/4-16	250013	16	50	27.0	44	11	–
K3/4-17	250014	17	50	31.0	44	12	–
K3/4-18	250015	18	50	32.0	44	13	–
K3/4-19	250016	19	50	33.0	44	13	–
K3/4-20	250017	20	50	34.0	44	14	–
K3/4-21	250018	21	50	35.0	44	15	–
K3/4-22	250019	22	50	37.0	44	15	–
K3/4-23	250020	23	50	38.0	44	16	–
K3/4-24	250021	24	50	40.0	44	16	–
K3/4-25	250022	25	50	40.0	44	16	–
K3/4-26	250023	26	50	41.0	44	16	–
K3/4-27	250024	27	54	43.0	44	19	–
K3/4-28	250025	28	54	44.0	44	19	–
K3/4-29	250026	29	54	45.0	44	21	–
K3/4-30	250027	30	54	47.0	44	21	–
K3/4-31	250028	31	56	48.0	44	21	–
K3/4-32	250029	32	56	49.0	44	22	–
K3/4-33	250030	33	56	51.0	44	22	–
K3/4-34	250031	34	56	52.0	44	22	–
K3/4-35	250032	35	56	53.0	44	22	–
K3/4-36	250033	36	56	54.0	44	25	–



6-point – normal

Model	Item No.	A/F #	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-37	250034	37	58	56.0	44	25	–
K3/4-38	250035	38	58	57.0	44	25	–
K3/4-39	250036	39	58	58.0	44	25	–
K3/4-40	250037	40	58	58.0	44	25	–
K3/4-41	250038	41	58	60.0	44	27	–
K3/4-42	250039	42	58	62.0	44	27	–
K3/4-43	250040	43	63	63.0	44	27	–
K3/4-44	250051	44	63	63.0	44	27	–
K3/4-45	250052	45	63	66.0	44	27	–
K3/4-46	250041	46	63	67.0	44	30	–
K3/4-47	250042	47	68	68.0	44	30	–
K3/4-49	250044	49	70	70.0	44	30	–
K3/4-50	250045	50	72	71.0	54	32	–
K3/4-55	250046	55	74	77.0	54	35	–
K3/4-56	250053	56	74	80.0	54	35	–
K3/4-57	250054	57	74	84.0	54	35	–
K3/4-60	250047	60	75	84.0	54	37	–
K3/4-63	250048	63	75	86.0	54	37	–
K3/4-65	250049	65	78	88.0	54	40	–
K3/4-67	250050	67	80	90.0	54	40	–
K3/4-70	250055	70	80	90.0	54	40	–
K3/4-75	250056	75	83	102	64	42	–



6-point – normal – inch

Model	Item No.	A/F inch	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-11/16	250110	11/16	50	29.0	38	12	–
K3/4-3/4	250111	3/4	50	30.0	38	14	–
K3/4-13/16	250112	13/16	52	32.0	38	16	–
K3/4-7/8	250113	7/8	52	34.0	38	16	–
K3/4-15/16	250114	15/16	52	36.0	38	16	–
K3/4-1	250115	1"	52	40.0	38	16	–
K3/4-1.1/16	250116	1 1/16	52	40.0	38	16	–
K3/4-1.1/8	250117	1 1/8	52	42.0	42	20	–
K3/4-1.3/16	250118	1 3/16	52	44.0	44	20	–
K3/4-1.1/4	250119	1 1/4	52	44.0	44	20	–
K3/4-1.5/16	250120	1 5/16	56	47.0	44	23	–
K3/4-1.3/8	250121	1 3/8	56	50.0	44	23	–
K3/4-1.7/16	250122	1 7/16	56	51.0	44	23	–
K3/4-1.1/2	250123	1 1/2	56	53.0	44	23	–
K3/4-1.3/4	250125	1 3/4	62	65.0	44	27	–
K3/4-1.13/16	250124	1 13/16	56	67.0	44	32	–



For more
info, visit our
website.

24/7



6-point – deep

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-13L	250150	13	95	25.0	44	13	–
K3/4-14L	250151	14	95	25.0	44	14	–
K3/4-15L	250152	15	95	26.0	44	15	–
K3/4-17L	250154	17	95	31.0	44	17	–
K3/4-18L	250155	18	95	32.0	44	18	–
K3/4-19L	250156	19	95	33.0	44	19	–
K3/4-20L	250157	20	95	34.0	44	20	–
K3/4-21L	250158	21	95	36.0	44	21	–
K3/4-22L	250159	22	95	37.0	44	22	–
K3/4-23L	250160	23	95	38.0	44	23	–
K3/4-24L	250161	24	95	39.5	44	24	–
K3/4-25L	250162	25	95	40.0	44	25	–
K3/4-26L	250163	26	95	41.0	44	26	–
K3/4-27L	250164	27	95	43.0	44	27	–
K3/4-28L	250165	28	95	44.0	44	28	–
K3/4-29L	250166	29	95	45.0	44	29	–
K3/4-30L	250167	30	95	47.0	44	31	–
K3/4-31L	250168	31	95	48.0	44	31	–
K3/4-32L	250169	32	95	49.0	44	32	–
K3/4-33L	250170	33	95	51.0	44	33	–
K3/4-34L	250171	34	95	52.0	44	34	–
K3/4-35L	250172	35	95	54.0	44	35	–
K3/4-36L	250173	36	95	55.0	44	36	–
K3/4-37L	250174	37	95	55.0	44	37	–
K3/4-38L	250175	38	95	57.0	44	38	–
K3/4-39L	250176	39	95	58.0	44	38	–
K3/4-40L	250177	40	95	58.0	44	38	–
K3/4-41L	250178	41	95	60.0	44	38	–
K3/4-42L	250179	42	95	62.0	44	38	–
K3/4-43L	250180	43	95	63.0	44	38	–
K3/4-44L	250181	44	95	65.0	44	38	–
K3/4-46L	250183	46	95	67.0	44	38	–
K3/4-47L	250184	47	95	68.0	44	38	–
K3/4-48L	250185	48	95	69.0	44	38	–
K3/4-49L	250186	49	95	70.0	44	38	–
K3/4-50L	250187	50	95	71.0	54	38	–
K3/4-52L	250188	52	95	74.0	54	40	–
K3/4-55L	250189	55	100	77.0	54	40	–
K3/4-60L	250190	60	105	84.0	54	42	–
K3/4-65L	250191	65	105	88.0	54	66	–



6-point – deep – inch

Model	Item No.	A/F Zoll	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-13/16-L	250210	13/16	85	32.0	38	23	–
K3/4-7/8-L	250211	7/8	85	34.0	38	23	–
K3/4-15/16-L	250212	15/16	85	36.0	38	41	–
K3/4-1-L	250213	1"	85	40.0	38	41	–
K3/4-1 1/8-L	250214	1 1/8	85	42.0	42	52	–
K3/4-1.3/16-L	250215	1 3/16	85	44.0	44	52	–
K3/4-1.1/4-L	250216	1 1/4	85	44.0	44	52	–
K3/4-1.5/16-L	250217	1 5/16	85	47.0	44	52	–
K3/4-1.7/16-L	250218	1 7/16	85	51.0	44	52	–
K3/4-1.1/2-L	250219	1 1/2	85	53.0	44	60	–




6-point – XL & XXL

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-24-270	250250	24	270	38,9	44	24	–
K3/4-27-270	250251	27	270	42,5	44	27	–
K3/4-30-270	250252	30	270	46,5	44	30	–
K3/4-32-270	250253	32	270	48,8	44	32	–
K3/4-33-270	250254	33	270	50,0	44	32	–
K3/4-36-270	250255	36	270	53,8	44	32	–
K3/4-46-270	250259	46	270	63,0	44	38	–
K3/4-24-400	250270	24	400	38,5	44	24	–
K3/4-27-400	250271	27	400	42,0	44	27	–
K3/4-30-400	250272	30	400	45,0	44	30	–
K3/4-32-400	250273	32	400	47,0	44	32	–
K3/4-33-400	250274	33	400	48,0	44	32	–
K3/4-36-400	250275	36	400	53,5	44	32	–



6-point – w joint* – L

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
KG3/4-19	250351	19	150	38,0	44	13	–
KG3/4-24	250353	24	150	43,0	44	15	–



* excluded from the manufacturer's warranty.





6-point – thin-walled* – deep

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-17-DWL	250311	17	95	25.5	44	17	–
K3/4-19-DWL	250313	19	95	28.5	44	19	–
K3/4-22-DWL	250315	22	95	33.5	44	22	–
K3/4-24-DWL	250316	24	95	36.5	44	24	–
K3/4-27-DWL	250317	27	95	40.5	44	27	–
K3/4-30-DWL	250318	30	95	43.5	44	30	–
K3/4-32-DWL	250319	32	95	46.5	44	32	–
K3/4-33-DWL	250320	33	95	47.5	44	33	–
K3/4-36-DWL	250322	36	95	52.0	44	36	–
K3/4-38-DWL	250323	38	95	54.0	44	38	–
K3/4-41-DWL	250324	41	95	57.0	44	38	–



6-point – extra thin-walled* – deep

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-27-DW-108	250330	27	108	40.0	43	43	–
K3/4-32-DW-108	250332	32	108	45.0	45	43	–
K3/4-41-DW-108	250337	41	108	54.5	45	43	–




8-point – normal

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-19-DVK	250080	19	52	41	41.0	15	
K3/4-24-DVK	250081	24	52	46	44.5	20	
K3/4-27-DVK	250082	27	56	53	44.5	24	
K3/4-30-DVK	250083	30	60	60	44.5	28	
K3/4-32-DVK	250084	32	60	60	44.5	28	
K3/4-38-DVK	250085	38	64	70	44.5	32	



12-point – normal

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-13-DSK	250410	13	50	23.0	44	12	–
K3/4-14-DSK	250411	14	50	24.0	44	12	–
K3/4-15-DSK	250412	15	50	26.0	44	12	–
K3/4-16-DSK	250413	16	50	27.0	44	12	–
K3/4-17-DSK	250414	17	50	28.0	44	12	–
K3/4-18-DSK	250415	18	50	29.0	44	12	–
K3/4-19-DSK	250416	19	50	30.0	44	14	–
K3/4-20-DSK	250417	20	52	31.0	44	16	–
K3/4-21-DSK	250418	21	52	32.0	44	16	–
K3/4-22-DSK	250419	22	52	34.0	44	16	–
K3/4-23-DSK	250420	23	52	35.0	44	16	–
K3/4-24-DSK	250421	24	52	36.0	44	18	–
K3/4-25-DSK	250422	25	52	38.0	44	18	–
K3/4-26-DSK	250423	26	52	40.0	44	23	–
K3/4-27-DSK	250424	27	52	40.0	44	23	–
K3/4-28-DSK	250425	28	52	42.0	44	23	–
K3/4-29-DSK	250426	29	52	43.0	44	23	–
K3/4-30-DSK	250427	30	52	43.0	44	23	–
K3/4-31-DSK	250428	31	56	44.0	44	24	–
K3/4-32-DSK	250429	32	56	45.0	44	24	–
K3/4-33-DSK	250430	33	56	46.0	44	24	–
K3/4-34-DSK	250431	34	56	48.0	44	24	–
K3/4-35-DSK	250432	35	56	50.0	44	24	–
K3/4-36-DSK	250433	36	56	51.0	44	24	–
K3/4-37-DSK	250434	37	56	52.0	44	24	–
K3/4-38-DSK	250435	38	56	53.0	44	24	–
K3/4-39-DSK	250436	39	62	55.0	44	28	–
K3/4-41-DSK	250437	41	62	58.0	44	28	–
K3/4-42-DSK	250438	42	62	61.0	44	28	–
K3/4-43-DSK	250439	43	62	63.0	44	28	–
K3/4-46-DSK	250440	46	68	67.0	44	33	–
K3/4-50-DSK	250441	50	70	71.0	54	34	–
K3/4-55-DSK	250442	55	74	77.0	54	35	–
K3/4-56-DSK	250443	56	74	77.0	54	35	–
K3/4-60-DSK	250444	60	75	84.0	54	35	–
K3/4-63-DSK	250445	63	78	86.0	54	37	–
K3/4-65-DSK	250446	65	78	88.0	54	38	–
K3/4-67-DSK	250447	67	80	90.0	54	40	–
K3/4-70-DSK	250448	70	80	96.0	54	40	–




For more
info, visit our
website.

24/7


* excluded from the manufacturer's warranty.

Mail: info@zemo-tools.de • Phone: +49 (0)40 303 989 100 • Web: www.zemo-tools.de

ZEMO
www.zemo-tools.de


 12-point – deep


Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-13-DSKL	250450	13	95	24.5	44	13	–
K3/4-14-DSKL	250451	14	95	25.5	44	14	–
K3/4-15-DSKL	250452	15	95	27.0	44	15	–
K3/4-16-DSKL	250453	16	95	28.0	44	16	–
K3/4-17-DSKL	250454	17	95	29.5	44	17	–
K3/4-18-DSKL	250455	18	95	31.0	44	18	–
K3/4-19-DSKL	250456	19	95	32.0	44	19	–
K3/4-20-DSKL	250457	20	95	34.0	44	20	–
K3/4-21-DSKL	250458	21	95	35.0	44	21	–
K3/4-22-DSKL	250459	22	95	37.0	44	22	–
K3/4-23-DSKL	250460	23	95	38.0	44	23	–
K3/4-24-DSKL	250461	24	95	39.0	44	24	–
K3/4-25-DSKL	250462	25	95	41.0	44	25	–
K3/4-26-DSKL	250463	26	95	42.0	44	26	–
K3/4-27-DSKL	250464	27	95	43.0	44	27	–
K3/4-28-DSKL	250465	28	95	44.0	44	28	–
K3/4-29-DSKL	250466	29	95	46.0	44	29	–
K3/4-30-DSKL	250467	30	95	47.0	44	30	–
K3/4-31-DSKL	250468	31	95	48.0	44	31	–
K3/4-32-DSKL	250469	32	95	49.0	44	32	–
K3/4-33-DSKL	250470	33	95	51.0	44	33	–
K3/4-34-DSKL	250471	34	95	52.0	44	34	–
K3/4-35-DSKL	250472	35	95	53.0	44	35	–
K3/4-36-DSKL	250473	36	95	54.0	44	36	–
K3/4-37-DSKL	250474	37	95	56.0	44	37	–
K3/4-38-DSKL	250475	38	95	57.0	44	38	–
K3/4-39-DSKL	250476	39	95	58.0	44	38	–
K3/4-40-DSKL	250477	40	95	59.5	44	38	–
K3/4-41-DSKL	250478	41	95	61.0	44	38	–
K3/4-42-DSKL	250479	42	95	62.0	44	38	–
K3/4-43-DSKL	250480	43	95	63.5	44	38	–
K3/4-44-DSKL	250481	44	95	64.5	44	38	–
K3/4-45-DSKL	250482	45	95	65.5	44	38	–
K3/4-46-DSKL	250483	46	100	66.5	44	38	–
K3/4-47-DSKL	250484	47	100	68.0	44	38	–
K3/4-48-DSKL	250485	48	100	69.0	44	38	–
K3/4-49-DSKL	250486	49	100	70.0	44	38	–
K3/4-50-DSKL	250487	50	100	71.0	54	38	–
K3/4-51-DSKL	250488	51	100	72.0	54	40	–
K3/4-52-DSKL	250489	52	100	74.0	54	40	–
K3/4-53-DSKL	250490	53	100	75.0	54	40	–
K3/4-55-DSKL	250492	55	105	78.0	54	40	–
K3/4-56-DSKL	250493	56	105	79.0	54	40	–
K3/4-57-DSKL	250494	57	105	80.0	54	40	–

 12-point – deep

Model	Item No.	A/F mm	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-58-DSKL	250495	58	105	81.0	54	40	–
K3/4-60-DSKL	250496	60	105	84.0	54	42	–
K3/4-63-DSKL	250497	63	105	87.0	54	42	–
K3/4-65-DSKL	250498	65	105	90.0	54	66	–
K3/4-67-DSKL	250499	67	105	92.0	54	66	–
K3/4-68-DSKL	250500	68	105	94.0	54	66	–
K3/4-70-DSKL	250501	70	105	96.0	54	66	–
K3/4-73-DSKL	250502	73	108	100	54	66	–
K3/4-75-DSKL	250503	75	108	102	64	68	–


 Torx® E – normal

Model	Item No.	A/F #	L mm	D1 mm	D2 mm	L2 mm	Pk
K3/4-E18	250570	E18	56	25	44	12.5	–
K3/4-E20	250571	E20	56	27	44	14.0	–
K3/4-E24	250573	E24	56	33	44	16.5	–
K3/4-E32	250577	E32	56	44	44	24.5	–



Stud bolt setters

Model	Item No.	Pitch	D1 mm	D2 mm	L mm	Pk
SB3/4-M16-2.0	251162	M16 × 2.0	29	44	100	–
SB3/4-M20-2.5	251203	M20 × 2.5	35	44	100	–
SB3/4-M24-1.5	251241	M24 × 1.5	37	44	100	–
SB3/4-M24-3.0	251244	M24 × 3.0	37	44	100	–
SB3/4-M27-3.0	251274	M27 × 3.0	42	44	100	–
SB3/4-M28-3.5	251285	M28 × 3.5	42	44	100	–
SB3/4-M30-3.5	251305	M30 × 3.5	43	44	100	–

